


# OneX Your WAN. Your WAY.

Introducing OneX, the all-in-one solution for enhanced network security. Replace multiple devices and ensure reliable connectivity across wireless and wired networks for your business operations.

OneX prioritizes application and user-level traffic, guaranteeing 100% uptime for CCTV, Business and POS applications. It includes built-in Unified Threat Management (UTM) features like a stateful firewall, IDS/IPS, and endpoint security, eliminating the need for multiple devices.





**Learn More** 









## Why OneX?





#### **Improved Network Performance**

Optimizes network traffic, ensuring that data is transmitted efficiently, even over long distances.

#### **Cost Savings**

Reduces the costs associated with traditional WAN solutions, such as leased lines, by using the Internet and low-cost connections to transmit data.





#### **Increased Agility**

Allows for easy provisioning and management of network resources, making it easier to scale the network to meet changing business needs.

#### **Improved Application Performance**

Enables businesses to prioritize and direct network traffic to ensure that critical applications receive the bandwidth they need to operate effectively.





#### **Enhanced Security**

Provides built-in security features, such as encryption and firewalls, that help protect against cyber threats.

#### **Simplified Network Management**

Simplifies network management by providing a centralized control panel, making it easier to monitor and manage the network.










## **End to end solution** components





## **Key Features**



Packet-based Multisession Tunnel Aggregation(PMTA) between multiple server links and client links (L2 and L3)



Built in High Availability (HA): Internet and Hardware DC and DR



AES 128/256 bit per session Encryption and Compression supported \*\*



Application aware routing, Traffic Priority and Application rate limit



Dynamic Time-based Encryption Key Rotation(Key lifetime)



MPLS over 4G (Private APN) supported



Static Route and Dynamic Path Selection\*\*



Packet Redundancy (Packet Duplication)



Tunnel Traffic Visibility & Rate limit



Domain Based tunnel & Partial Mesh



AI-enabled Link Selection and Optimization\*\*



Latency, Reordering & Jitter











## **Technical Specifications by Device Model**



Device Specs	GRS-XB6-12-6E	GRS-XB5-17-6E	GR8 - 52S - NSNW
Ethernet	4/5 x RJ45 ports, 10/100/1000 Mbps (Total)	4/6 x RJ45 ports, 10/100/1000 Mbps (Total)	5 x RJ45 ports, 10/100/1000 Mbps
Fixed WAN	1	1	1
Fixed LAN	1	1	1
Flexi Ethernet	2/4	2/4	3
4G LTE SIM Slots	NO	NO	NO
4G SIM Antenna	NO	NO	NO
WIFI	NO	NO	NO
WiFi Antenna	NO	NO	NO
Status LED	1 x Power, 1 x HDD	1 x Power, 1 x HDD	5 x Ethernet, 1 x Power
Power	12 VDC	12 VDC	12 VDC, Reverse polarity protection
Power Consumption	180 W	180 W	15W Max
Reset Button	NO	NO	YES
Operating Temperature	10° to 65° C	10° to 65°C	10° to 65° C
Operating Humidity	10° to 90° Noncondensing	10° to 90° Noncondensing	10° to 90° Noncondensing
Dimensions (WxDxH)mm	425 x 47 x 285 mm	425 x 47 x 285 mm	165 x 30 x 125
Overlay Throughput	300 Mbps	750-800 Mbps	25 Mbps

Device Specs	GR8 - 52S - WS	GR8 - 52S - WSWW	GR8-31S-WSWW
Ethernet	5 x RJ45 ports, 10/100/1000 Mbps	5 x RJ45 ports, 10/100/1000 Mbps	3 x RJ45 ports, 10/100/1000 Mbps
Fixed WAN	1	1	1
Fixed LAN	1	1	1
Flexi Ethernet	3	3	1
4G LTE SIM Slots	2	2	1
40 SIM Antenna	2	2	2
WIFI	NO	2.4 GHz	2.4 GHz
WiFi Antenna	NO	2	2
Status LED	5 x Ethernet, 1 x Power, 2 x LTE	5 x Ethernet, 1 x Power, 2 x WiFi, 2 x LTE	3 x Ethernet, 1 x Power, 1 x WiFi, 1 x LTE
Power	12 VDC, Reverse polarity protection	12 VDC, Reverse polarity protection	12 VDC, Reverse polarity protection
Power Consumption	15W Max	15W Max	15W Max
Reset Button	YES	YES	YES
Operating Temperature	10° to 65° C	10° to 65° C	10° to 65° C
Operating Humidity	10° to 90° Noncondensing	10° to 90° Noncondensing	10° to 90° Noncondensing
Dimensions (WxDxH)mm	165 x 30 x 125	165 x 30 x 125	120 x 30 x 120
Overlay Throughput	25 Mbps	25 Mbps	25 Mbps










### What Sets OneX Apart?





**5000+** 

Implemented End-points 100+

Multi-domain Customers

30%

Average tco Reduction



Supercharge your network with enhanced performance, cost savings and simplicity. Scan the QR code for expert assistance.

A business of ONEOTT iNTERTAINMENT Ltd. (OIL) and backed by HGS and the Hinduja Group, CelerityX is the 'one-stop-shop' for all your enterprise solutions needs. Our digitally-enabled solutions leverage deep industry expertise and focus on enhancing productivity and providingalways-on connectivity to businesses, irrespective of vertical or location.





